



# DEXAZIDE



## DEXAMETHASONE WITH HYDROCHLOROTHIAZIDE INJECTION

### COMPOSITION:

Each ml contains :

|                                  |      |         |
|----------------------------------|------|---------|
| Dexamethasone Sodium Phosphate   | B.P. | 0.5 mg  |
| Hydrochlorothiazide              | B.P. | 50 mg   |
| Propylene glycol                 | B.P. | 0.15 ml |
| Benzyl alcohol (As Preservative) | B.P. | 0.01 ml |
| Water for Injection              | B.P. | q.s.    |

### INDICATION:

#### Cattle :

- Congestion and oedema of the udder.
- Early persistent lactation oedema.
- Pulmonary congestion and oedema.
- Oedematous infiltration of surgical wounds.
- Oedema in allergic conditions.

#### Horses :

- Generalised congestion and oedema.
- Oedema of sheath Anasarca.
- Oedema in allergic conditions.

### DOSAGE AND ADMINISTRATION :

Dexazide injection may be administered by intravenous, Intramuscular, Subcutaneous injection.

#### Cattle and Adult Horses :

Preventive treatment : 10 ml daily for 3 days.

Curative treatment :

Congestion and mild oedema : 10 ml daily for 2 or 3 days.

Congestion and severe oedema : 20 ml daily for 2 days and 10 ml on third day.

**Foals - Calves :** 2 ml per 40 – 50 kg body weight daily for 3 days.

### WITHDRAWAL PERIOD :

Cattle : Meat and offal : 28 days, Milk : 7 days.

Treated Horses may never be slaughtered for human consumption.

### PACK SIZE :

50 ml, 100 ml Vial.

Manufactured in India by :

**IPPL**  
**Intracin**  
**Pharmaceuticals Pvt. Ltd.**  
C-1, B-52,53,56, G.I.D.C. ESTATE,  
NADIAD - 387 001, (GUJARAT) INDIA.

