



FUTIC

FUROSEMIDE INJECTION B.P. 50 MG/ML



COMPOSITION :

Each ml contains :

Furosemide Sodium	B.P.	50 mg
equi. to Furosemide		
Benzyl alcohol	B.P.	1% v/v
(As preservative)		
Water for Injection	B.P.	q.s.

INDICATIONS :

It is used for treatment of congestive cardio - myopathy, pulmonary oedema, hypercalciuric nephropathy, uremia and adjunctive therapy in hyperkalemia and occasionally as an antihypertensive agent.

In Cattle it is used for the treatment of post parturient udder edema & associated structures. In race Horses, it helps to prevent or to reduce epistaxis (exercise included pulmonary hemorrhage).

CONTRAINDICATIONS :

Do not use the product in cases of acute glomerular nephritis, renal failure with anuria, electrolyte deficiency disease or overdosage with digitalis.

Do not use concurrently with aminoglycoside antibiotic treatment.

DOSAGE AND ADMINISTRATION :

Intramuscular (IM) or Intravenous route (IV).

Dogs and Cats : 1 to 2 mg (0.02 to 0.04 ml)/kg body weight once or twice daily at 6 to 8 hour intervals.

Cattle : 0.5 - 1 mg (0.01 to 0.02 ml)/kg body weight.

Horses : 0.5 - 1 mg (0.01 to 0.02 ml) /kg body weight once or twice daily at 6 to 8 hour intervals.

WITHDRAWAL PERIOD :

Cattle : Meat & Milk : 48 hours.

PACK SIZE :

50 ml, 100 ml Vial

Manufactured in India by :

IPPL
Intracin
Pharmaceuticals Pvt. Ltd.
C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.



Veterinary Medicines - Injectables