



IMIX

IMIDOCARB DIPROPIONATE AQUEOUS INJECTION SOLUTION 120 MG/ML



COMPOSITION :

Each ml contains :

Imidocarb dipropionate		120 mg
Benzyl alcohol	B.P.	2% w/v
(As preservative)		
Water for Injection	B.P.	q.s.

INDICATIONS :

IMIX is used for the treatment of Babesiosis in Cattle, Sheep, Horses and Dogs, for the treatment of Anaplasmosis in Cattle. Also indicated for the treatment of Ehrlichiosis in Dogs.

DOSAGE AND ADMINISTRATION :

Dosage according to bodyweight :

Cattle : 1 ml per 100 kg bodyweight. In treating mixed infections due to Anaplasma and Babesia, administer 2.5 ml per 100 kg bodyweight.

Sheep : 0.5 ml per 50 kg bodyweight.

Horses : 2 ml per 100 kg bodyweight (Intramuscular injection is preferred). In most cases, a single dose will effect a complete cure, but the treatment of Babesia equi infections in Horses may require 2 doses at an interval of 24 hours.

Dogs : 0.25 ml per 10 kg bodyweight. In treating mixed infections due to Ehrlichia and Babesia, administer 0.5 ml per 10 kg bodyweight, 2 doses at an interval of 14 days.

It is advised to screen the blood after one treatment for presence of the parasite.

Repeat treatment if the test is positive.

WITHDRAWAL PERIOD :

Milk : 7 days

Meat : 28 days

PACK SIZE :

20 ml, 50 ml, 100 ml Vial.

Manufactured in India by :

IPPL
Intracin
Pharmaceuticals Pvt. Ltd.
C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.



Veterinary Medicines - Injectables