

INOXY 50% WS

OXYTETRACYCLINE HYDROCHLORIDE 50% W/W
POWDER FOR ORAL ADMINISTRATION



COMPOSITION :

Each gram contains :

Oxytetracycline hydrochloride	B.P.	500 mg
Excipients ad		1 gm

INDICATIONS :

INOXY 50% powder is indicated for the treatment and control of bacterial infections such as infectious coryza, fowl cholera, infectious synovitis, fowl typhoid, chronic respiratory disease (CRD), bacillary white diarrhea, spirochaetosis and to check secondary bacterial infection during viral outbreaks.

DOSAGE AND ADMINISTRATION : CHICKENS AND TURKEYS :

Infectious synovitis caused by *Mycoplasma synoviae*, susceptible to Oxytetracycline : 200-400 mg per 4.5 liter of drinking water (0.5-1g per 4.5 liter of water) for 5-7 days.

Chronic respiratory disease (CRD) and air sac infections caused by *Mycoplasma gallisepticum*, *Salmonellosis* and fowl cholera caused by *Pasteurella multocida* and fowl typhoid : 400-800 mg per 4.5 liter of drinking water (1-2 g per 4.5 liter of water) for 5-7 days.

WITHDRAWAL PERIOD :

Meat : 7 days from the last treatment.

PACK SIZE :

100 gram, 500 gram and 1 kg Jar.

Veterinary Medicines - Water Soluble Powders

Manufactured in India by :



Intracin
Pharmaceuticals Pvt. Ltd.

C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.

