

IROFLOX - BR



ENROFLOXACIN & BROMHEXINE HYDROCHLORIDE ORAL SOLUTION

Mucolytic Antibacterial

COMPOSITION :

Each ml contains :

Enrofloxacin B.P.	200 mg
Bromhexine Hydrochloride B.P.	15 mg
Excipients	q.s.

INDICATIONS :

For the prevention and treatment of CRD, CCRD, Infectious Coryza, Colibacillosis.

Pullorum & Fowl Cholera. Staphylococcal infection, Salmonellosis, Omphalitis Secondary bacterial infections of viral outbreaks. To reduce Respiratory stress with mucolytic effect.

DOSAGE AND ADMINISTRATION :

Orally through drinking water :

Poultry :

Prophylactic use : 1 ml / 8 litres : 3 days.

Therapeutic use : 1 ml / 2.4 liters : 3-5 days.

Sheep and Goats :

1 ml / 10 kg body weight for 3-5 days orally.

Calves and Lambs : 0.5 ml / 20 kg body weight in drinking water for 3-5 days.

WITHDRAWAL PERIOD :

Poultry : Egg - 5 days, Meat - 28 days

Sheep and Goats : Meat - 28 days

PRESENTATION : 1 Litre

Manufactured in India by :



Intracin
Pharmaceuticals Pvt. Ltd.

C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.

Feed Additives - Nutritional Oral Liquid