



TYLOXY WS

DOXYCYCLINE HYCLATE / TYLOSIN TARTRATE POWDER
FOR ORAL ADMINISTRATION



COMPOSITION :

Each gram contains :

Doxycycline hyclate B.P.	100 mg
Tylosin tartrate B.P.	100 mg
Excipients ad	1 g

INDICATIONS :

Gastrointestinal and respiratory infections caused by Tylosin and Doxycycline sensitive micro-organisms like Bordetella, Campylobacter, Chlamydia, E.coli, Haemophilus, Mycoplasma, Pasteurella, Rickettsia, Salmonella, Staphylococcus, Streptococcus and Treponema spp. in Calves, Poultry, Swine, Kids and Lambs.

DOSAGE AND ADMINISTRATION :

For oral administration :

Calves, Kids and Lambs : Twice daily, 5 g per 100 kg bodyweight for 3-5 days.

Poultry and Swine : 1 kg per 1000 - 2000 litres of drinking water for 3-5 days.

Note : For pre-ruminant Calves, Lambs and Kids only.

CONTRAINDICATIONS :

Administration to animals with a seriously impaired renal/hepatic function.
Concurrent administration of Penicillin's, Cephalosporin's, Quinolones and Cycloserine.

Hypersensitivity to Tetracyclines and/or Tylosin.

Do not use in ruminating Cattle, Sheep and Goats.

WITHDRAWAL PERIOD :

For Meat :

Calves, Kids and Lambs : 14 days

Swine : 8 days

Poultry : 7 days

Not authorised for use in birds producing eggs for human consumption.


Do not use within 4 weeks of onset of laying.

PACK SIZE :

100 g Sachet, 500 g and 1 kg Jar.

Manufactured in India by :

IPPL
Intracin
Pharmaceuticals Pvt. Ltd.
C-1, B-52,53,56, G.I.D.C. ESTATE,
NADIAD - 387 001, (GUJARAT) INDIA.



Veterinary Medicines - Water Soluble Powders