

DX-CURE

Dexamethasone & Hydrochlorothiazide Powder for oral administration

COMPOSITION :

Each gram contains :

Dexamethasone Sodium Phosphate B.P.	0.25 mg
Hydrochlorothiazide B.P.	75 mg
Excipient	1 g

INDICATIONS :

- Generalised congestion and oedema
- Oedema of sheath
- Anasarca
- Oedema in allergic conditions

CONTRA-INDICATIONS :

Do not use in:

- Pregnant animals.
- Animals with viral infections, during the viraemic phase.
- Animals with diabetes mellitus, congestive heart failure, chronic nephritis, osteoporosis or glaucoma.
- Animals with hepatic encephalopathy.
- Cases of severe hypokalaemia.
- Animals with known hypersensitivity to the active ingredients.

DOSAGE AND ADMINISTRATION :

For oral administration via drinking water.

Adult Cattle and Horses: 2 sachet on the 1st day. 1 sachet on the 2nd and 3rd days (2 g/ 25-50 kg body weight).

WITHDRAWAL PERIOD :

Meat and offal : 6 days.

Milk : 3 days.

STORAGE :

Store at a temperature not exceeding 30°C.

Protect from direct sunlight.



IPPL
Intracrin
Pharmaceutical Pvt. Ltd.

C-1, B-53, G.I.D.C. ESTATE,
NADIAD-387001 (GUJARAT) INDIA.
www.intracrin.com