IMMUSOL WS

Levamisole Hydrochloride Powder for oral administration

COMPOSITION:

Each gram Contains:

Levamisole hydrochloride 200 mg Excipients ad 1 g

DESCRIPTION:

Levamisole is a synthetic anthelmintic with activity against a broad spectrum of gastrointestinal worms and against lung worms.

Levamisole causes an increase of the axial muscle tone followed by paralysis of the worms.

INDICATIONS:

Prophylaxis and treatment of Gastrointestinal and Lung worm infections in Cattle, Calves, Sheep, Goats, Poultry and Swine like:

- Cattle, Calves, Sheep and Goats: Bunostomum, Chabertia, Cooperia, Dictyocaulus, Haemonchus, Nematodirus, Ostertagia, Protostrongylus and Trichostrongylus spp.
- Poultry: Ascaridia and Capillaria spp.
- Swine : Ascaris suum, Hyostrongylus rubidus, Metastrongylus elongatus, Oesophagostomum spp. and Trichuris suis.

CONTRA-INDICATIONS:

Administration to animals with an impaired hepatic function.

Concurrent administration of pyrantel, morantel or organo-phosphates.

SIDE EFFECTS:

Overdoses can cause colic, coughing, excessive salivation, excitation, hyperpnoea, lachrymation, spasms, sweating and vomiting.

DOSAGE AND ADMINISTRATION:

For Oral administration.

Cattle, Calves, Sheep and Goats: 7.5 g per 200 kg body weight for 1 day.

Poultry and Swine : 1 kg per 2000 litres of drinking water for

1 day.

WITHDRAWAL PERIOD:

For meat: 10 days. For milk: 4 days.



Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE, NADIAD-387001 (GUJARAT) INDIA. www.intracin.com

