

INTAPEN 40

Fortified Procaine Penicillin Injection 40,00,000 Units



COMPOSITION :

Each vial contains :

Procaine Benzyl penicillin G B.P (Procaine penicillin G)	30,00,000 units
Benzyl penicillin sodium B.P (Penicillin G Sodium)	
equi. to Benzyl penicillin	10,00,000 units

INDICATION :

Cattle, Buffalo, Horses, Sheep, Goat, Dog, Cat :
Actinomycosis, anthrax, black quarter, Calf diphtheria, Foot rot, leptospiriosis,
Malignant oedema, pneumonia, navel ill, abscess, mastitis, strangles, bacterial
influenza, bronchitis, Castration, pyogenic infections, urinary tract infections.

CONTRAINDICATION :

It is contraindicated in animals hypersensitive to active ingredients.

DOSAGE AND ADMINISTRATION :

For Intramuscular administration.

Small animals : Sheep, Dogs & Cats 2,00,000 - 4,00,000 units at 24 hrs. Interval

Large animals : 8000 units/kg. b.wt at 24 hrs. Interval

WITHDRAWAL PERIOD :

Drug Withdrawal and Milk Discard Times of Penicillins

Cattle, Buffalo & Horse

Withdrawal Time(days) : 10 (at label dosage)
30 (at 20,000 IU/Kg, bid)

Milk Discard Time (days) : 3

Sheep & Goat

Withdrawal Time (days) : 9

STORAGE :

Store at a temperature not exceeding 30°C.

Protect from light.



Intracin

Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE,
NADIAD-387001 (GUJARAT) INDIA.
www.intracin.com

