O-DOXY WS

Doxycycline And Oxytetracycline Powder for oral administration

COMPOSITION:

Each gram contains:

Doxycycline Hyclate B.P 100 mg
Oxytetracycline HCL B.P 200 mg
Excipients ad 1 g

PROPERTIES:

- A combination of two broad spectrum antibiotics which are effective against different Gram-positive and Gram-negative bacteria and some large viruses.
- The rapid absorption and slow excertion of doxycycline exerts additional activity.

INDICATIONS:

- Prevention and treatment of different infections of the respiratory, alimentary and urogenital tracts infections such as: Mycoplasmosis, CRD, Coryza, Colibacillosis, Omphalitis and Yolk sac Infection, Enteritis, Salmonellosis, Pasteurellosis, Necrotic enteritis, Clostridial infections, Air succulitis, Sinusitis, Synovitis, Staph, Strept, Coryne, Hexamitiasis, Spirochaeta, Listeria, Leptospira Vibrio, diarrhea.
- Stress conditions due to vaccination, rehousing, debeaking, transporting, changes of feed and weather.

DOSAGE AND ADMINISTRATION:

(Treatment duration for 5 days.)

Poultry: 100 g per 200 litres of drinking water.

Pre-ruminating (Calves, Lambs and Kids): 0.5 g per 10 kg B.wt. daily with

drinking water.

Prevention: Half dosage for the same period.

WITHDRAWAL PERIOD:

For meat : 7 days For eggs : 7 days

REMARKS:

- During application, do not medicate water with minerals salts.
- During treatment, eggs not used for human consumption.

STORAGE:

Store at a temperature not exceeding 30°C.

Protect from direct sunlight.



Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE, NADIAD-387001 (GUJARAT) INDIA. www.intracin.com

