

PROFEN

Ketoprofen Injection 100 mg/ml

COMPOSITION :

Each ml contains :

Ketoprofen	100 mg
Benzyl Alcohol B.P	1% w/v
Water For Injection B.P	q.s.

INDICATION :

Inflammatory and painful conditions of the bones and joints and muscle-skeletal systems in horses. Colic in horses. Respiratory infection and acute clinical mastitis in cattle. Respiratory infection in pig and Mastitis-Metritis-Agalactia syndrome in sows.

CONTRAINDICATION :

Hypersensitivity to ketoprofen.

Concurrent administration or administration of other non-steroidal anti-inflammatory drugs within 24 hours.

Administration in animals suffering from cardiac, hepatic or renal disease.

Administration to pregnant mares, because the effects of ketoprofen on fertility, pregnancy or foetal health of horses have not been determined.

DOSAGE AND ADMINISTRATION :

Horses : 1.0 ml per 45 kg body weight by intravenous injection once daily for up to 3 to 5 days

Cattle : 1.0 ml per 33 kg body weight by intravenous or deep intramuscular injection once daily for up to 3 days.

Pigs : 1.0 ml per 33 kg body weight once by deep intramuscular injection.

WITHDRAWAL PERIOD :

Cattle : Milk : Nil

Meat : 4 days

Horse : Meat : 28 day

STORAGE :

Store at a temperature not exceeding 30°C.

Protect from light.



Intracin

Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE,
NADIAD-387001 (GUJARAT) INDIA.
www.intracin.com

