SAFE-200

Flumequine Powder for oral administration

COMPOSITION:

にはかると

Each gram contains:

Flumeauine 200 ma Excipients ad 1 a

DESCRIPTION:

Flumequine belongs to the group of guinolones and acts bactericidal against mainly Gram-negative bacteria like Campylobacter, E.coli, Haemophilus, Pasteurella and Salmonella spp.

INDICATIONS:

Gastrointestinal, respiratory and urinary tract infections caused by flumequine sensitive micro-organisms, like Campylobacter, E. coli, Haemophilus, Pasteurella and Salmonella spp. in Calves, Goats, Poultry, Sheep and Swine.

CONTRA-INDICATIONS:

Hypersensitivity to flumequine.

Administration to animals with a seriously impaired hepatic and/or renal function. Concurrent administration of tetracyclines, chloramphenicol, macrolides and lincosamides.

SIDE EFFECTS:

Hypersensitivity reactions may occur.

DOSAGE AND ADMINISTRATION:

For oral administration:

Calves, Goats and Sheep: Twice daily, 10 g per 75 - 150 kg body weight for 3 - 5 days. : 1 kg per 1000 - 2000 litres of drinking water for 3 - 5 days. Poultry and Swine

Note: for pre-ruminant Calves, Lambs and Kids only.

WITHDRAWAL PERIOD:

For meat:

Calves, Goats, Sheep and Swine: 8 days. **Poultry** : 3 days.

STORAGE:

Store at a temperature not exceeding 25°C. Protect from light.



Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE, NADIAD-387001 (GUJARAT) INDIA.

www.intracin.com

