

SULFATRIM 480 WS

Sulfadiazine with Trimethoprim Powder for oral administration



COMPOSITION :

Each gram contains :

Sulfadiazine B.P	400 mg
Trimethoprim B.P	80 mg
Excipients ad	1 g

INDICATIONS :

Gastrointestinal and respiratory infections caused by trimethoprim and sulfadiazine sensitive micro-organisms like E. coli, Haemophilus, Pasteurella, Salmonella, Staphylococcus and Streptococcus spp. in Calves, Sheep, Goats, Poultry and Swine.

CONTRA-INDICATIONS :

Hypersensitivity to trimethoprim and/or sulphonamides.
Administration to animals with a seriously impaired renal and/or hepatic function or with blood dyscrasias.

DOSAGE AND ADMINISTRATION :

For oral administration:

Calves, Goats and Sheep : Twice daily, 5 g per 100 kg body weight for 4 - 7 days.

Poultry and Swine : 1 kg per 1500 - 2500 litres of drinking water for 4 - 7 days.

Note: for pre-ruminant Calves, Lambs and Kids only.

WITHDRAWAL PERIOD :

For meat:

Calves, Sheep, Goats and Swine : 8 days.

Poultry : 5 days.

STORAGE :

Store at a temperature not exceeding 25°C.
Protect from light.

IPPL

Intracin

Pharmaceutical Pvt. Ltd.

C-1,B-53,G.I.D.C. ESTATE,
NADIAD-387001 (GUJARAT) INDIA.
www.intracin.com

